

Connecting GPM data to Decision Makers: Applications and Outreach





Dalia Kirschbaum

GPM Deputy Project Scientist for Applications


Andrea Portier

GPM Applications

Coordinator

Twitter: NASA_Rain Facebook: NASA.Rain

<u>Dalia.kirschbaum@nasa.gov</u> <u>Andrea.m.portier@nasa.gov</u>





GPM Applications Areas






GPM Applications Portfolio




GPM Data Users by Sector




Goal is to better understand the user community and reach into sectors that may not be well represented or better engage active groups

GPM User by Application Area




- On average ~1,000 unique users per month access GPM data and products (GDISC and PPS)
- E-mail, type of user, application area


Over 85 highlights have been made to show how GPM is being used for applications



Weather, Climate, Modeling


Water Resources, Agriculture, and Food Security





Disasters & Risk Management

Ecological Management



GPM Applications Examples

For all Applications Highlights please visit https://pmm.nasa.gov

To share an application with the GPM Team, please contact Andrea Portier!



Looking Inside Tropical Storm Lorenzo



Issue

Monitoring and forecasting storms to support disaster preparation and response

Objective

Use satellite imagery to monitor and track behavior of tropical cyclones

Solution

GMI data used by the NRL and NOAA's NHC to help understand behavior and location of Lorenzo


Results/ Benefit GMI used by NHC to help communicate about the storm's behavior (and available to the public)

> Recent GMI microwave imagery and ASCAT-C data showed that the low-level center of Lorenzo is on the north side of most of its deep convection. While this disorganized structure may limit how quickly Lorenzo can strengthen in the short-term, the tropical storm is located within a generally favorable environment for intensification. All of the intensity quidance shows Lorenzo becoming a hurricane, but the timing varies from model to model. The official forecast follows the HFIP Corrected Consensus, and shows Lorenzo reaching hurricane status within 48 h. Continued strengthening is forecast thereafter. No noteworthy changes were made to the NHC intensity forecast.

The NHC provides regular updates of a storm's track. location, and behavior to the public. The NHC mentioned the use of the

The ASCAT and microwave data were very helpful in determining the location of Lorenzo's center and its forward speed. The cyclone has accelerated and the initial motion estimate is now 275/15 kt. Very little adjustment was made to the NHC track forecast. Lorenzo is still forecast to be steered generally westward to west-northwestward to the south of a deep-layer ridge centered over the eastern Atlantic. The cyclone will pass well south and southwest of the Cabo Verde Islands through tonight. A turn toward the northwest is forecast in about 4 days as Lorenzo reaches a break in the ridge. Just like the intensity forecast, the track forecast is

GMI instrument in a recent discussion of tropical storm Lorenzo on 09/23/2013 at 11am (above). Credit: https://www.nhc.noaa.gov/archive/2019/al13/al132019.discus.003.shtml



GPM's GMI provides a view of Lorenzo's precipitation, showing the heaviest rainfall near the center on 09/23/2019. Credit: NASA/JAXA/NRL



Addressing Drought on the Navajo Nation



Issue	Monitoring and forecasting drought
Objective	Develop tool (DSET) for improved drought reporting
Solution	DSET connects NASA Earth Observations,
	modeled climate data, and in-situ rain gauge data
	for on-the-fly analyses
Results/ Benefit	DSET end products (field scale maps, time series
	figures, and reporting metrics) will assist in
	drought emergency declarations and the
	subsequent allocation of relief dollars across the
	NN




Image credit: Amber Jean McCullum¹, Justin Huntington², Britta Daudert², Carlee McClellan³

(¹Bay Area Environmental Research Institute/NASA Ames Research Center, ²Desert Research Institute,³Navajo Nation Dept of Water Resources).

Monitoring and Managing Weather Risks with GPM

Field health - An inside view

Crop Canopy

Track Crop Growth

Soil Moisture Deficit

Relative Humidity

Air, Temperature

Short term Precip forecast (12h)

Identify Water



Measure and Monitor Soil

Early detection of Extreme

events (E.g Drought and El

Nino related events)

Stability using FT

Issue

Protect farmers from financial disaster and combat food insecurity faced by environmental extremes

Objective

Work with companies to develop insurance platform that protects agricultural assets when a disaster strikes

Solution

Uses climate and weather data to monitor and manage risks in agriculture


Results/ Benefit

Work with thousands of farmers and companies throughout world to design payouts

Agvesto - GPM Index Capture



In April 2016, Argentina and Uruguay received upwards of 300mm above monthly average which led to flooding. To help assess the total crop damage and potential crop yield, Agvesto worked with the Argentine government to provide field health and risk insights using GPM precipitation and SMAP soil moisture data. Credit: Agvesto.



Evaluating Wind Turbine Longevity



Issue

Maximize blade reliability to effectively convert wind into energy

Objective

Understand how weather impacts wind turbine blades throughout the world

Solution

Provide information using GPM IMERG data to develop contour precipitation maps and determine average precipitation at existing and potential wind turbine site locations


Work with customers and guarantee that wind turbine will last 20+

Benefit years within location


Map of average precipitation in Texas (left) and the North Sea and western Norway (right) depicted by black contour lines using GPM IMERG data.

Results/

Image credits: Laurids Andersen










Weather and Air Quality Forecasting Applications Workshop



- July 22-23, 2019, 40 experts (NASA, NOAA, NRL, JMA, JAXA, ECMWF, ECCC)
- Discuss how existing NASA satellite products could be better leveraged for NWP and AQ forecasting efforts and outline future needs for NASA's next generation satellite estimates
- Discuss utility and opportunities for future measurements for ACCP









Weather and AQ Workshop




Objectives:

- Understand how GPM data products are currently assimilated in NWP modeling and opportunities for future applications;
- Explore barriers and solutions related to the assimilation of satellite observations into NWP models and opportunities for AQ forecasting;
- Assess how future measurements from the ACCP concept study may be utilized by the NWP and AQ forecast community; and

 Increase awareness of the needs of the NWP and AQ forecast community for future research developments and collaboration.

End Products:

- 1) Series of highlights
- 2) White paper
- 3) Workshop summary for EOS
- Direct input to inform A-CCP's SATM and Applications Library documents



Enabled Applications for ACCP EA 8. Critical for water resource managers, **EA 1.** Predict hurricane agricultural communities, and energy and mid-latitude cyclone EA 2. Improve modeling/ forecasting companies for estimating streamflow, development, intensity, the impact of aerosols on precipitation flooding and inundation impacts, and and track and including aerosol transport, assessing drought conditions. associated precipitation scavenging, deposition, and chemical EA 7. Enable weather prediction type and amount. transformation. Hydrologic communities to enhance Aerosol & Severe Modeling EA. 9. Enable parameterizations of clouds to Precipitation Storm agricultural EA 3. Improve model initialization and improve NWP output for weather Interaction in Forecasting Modeling Agricultural communities to model. forecasting. simulations which inform international and Climate and forecast, and track Modelina reports and policy makers decisions. Modeling and Modelina Forecasting watershed conditions **Numerical** Monitoring that impact crop Weather EA 4. Estimate radiative fluxes for Clouds, estimation, yields, Prediction applications, such as companies use Convection, irrigation, and supply. **ACCP** Energy estimates of size-resolved aerosol Precipitation Planning concentrations and precipitation to model ********* dry and wet deposition on the panels. Health and Disaster Aviation **Ecological** EA 5. Predict and monitor hazards, such as Monitoring, Industry and Safety Infrastructur Forecasting visibility, icing, volcanic eruptions, and the impact Modeling and e / Urban & Monitoring Wildfires to flights planning and aircraft engines. Assessment Development EA 10. Used as inputs into EA 6. Improve NWP output for hydrologic models, vector and fire weather modeling and water borne disease modeling. EA 11. Used for EA 15. Critical for urban animal migration tracking, forecasting to predict the modeling/estimating flooding planning and development. insurance models, and potential for wildland and and landslide hazards, transportation assessment/ EA 13. Infer spatiodisasters applications. prescription fire growth and AQ Rule & developing parametric risk construction, and tactical temporal variations & Regulation aid implementation to severity. models for (re)insurance, and trends of speciated surface-Making identifying high risk areas for mitigate impacts to level PM to support AQ hydrometeorological extremes. changes in AQ and rule-making, define precipitation extremes. exceptional events, etc. Human EA 12. Infer spatio-temporal variations & trends of speciated Health Operational EA 14. Support forecast initialization, surface-level PM, which are used to associate the effects of Aerosols Studies & exposure to PM with specific health outcomes, and to tracking dust plumes, and issuing AQ Health Risk forecasting calculate health risks and longevity. alerts. Estimation

GPM Outreach Activities



2019 Fall IMERG Campaign




Oct 15 -20, 2019: GPM launched campaign to highlight release of V06 IMERG!

Campaign events included:

- NASA.gov feature
- Six core data visualization products
- NASA Live Shots morning that consisted of 31 TV, radio, and print interviews
- Introductory applications webinar (>110 registrants)
- NASA GSFC Visitors Center Sunday Experiment
- PMM Webpage to support activities
- Social Media posts (Tumblr, Snapchat story posted Oct. 29th)










Precipitation Diurnal Cycles









IMERG Daily Climatology





Youtube





PRECIPITATION MEASUREMENT

GPM Home TRMM Science Applications Meetings Data Acce

Resources

▼ Images PMM

GPM TRMM

Flight Project Ground Validation

Videos GPM TRMM

Ground Validation

Featured Articles Archive Media & Press

GPM Refereed Publications

TRMM Refereed Publications

Documents

Related Sites Glossary

Acronyms 3D Printed GPM Preciptation

Data Go To Class

Early Childhood

Elementary High School

Middle School Preschool

Connect With Us



Twitter



Facebook Youtube

Need Help?

- View Frequently Asked Questions
- View the PMM Glossarv

Go To Class

We Want You to Go to Class!

Our students desperately need to have some face to face time with scientists and engineers who are doing amazing things to make their world a better place. That means you guys! From time to time, you may be invited to give a presentation on your work to kids in some context- and we want to make it easier for you. You might even reach out yourself to your local school and offer to come in and give a talk.

Having been a classroom teacher across all grade levels by the time I finished my illustrious career, I know personally the joy of having real STEM professionals come in and share the excitement and wonder of their work with my students. I also know that many of them felt a bit out of their comfort zone trying to explain



what they did to the eager little 6-year-old faces looking up at them. Below you will find some hints. Best Practices, links to the National Science Standards, and sample activities to do with kids across all grade levels, from pre-K to high school!

Should you have any questions, feel free to reach out to me. I can also send you some GPM "droplets", anime comic books, and/or stickers to hand out while you are visiting the students. Contact me at dorian.w.janney@nasa.gov . Be sure to give me at least three weeks to mail things out.

Click on the age/grade levels below to see ideas for how you can "Go to Class" and make lasting memories as you inspire kids and their teachers!

- Preschool (ages 2 through 5 years)
- Early Childhood (grades K through 2nd)
- Elementary School (grades 3rd-5th)
- Middle School (grades 6-8)
- High School (grades 9-12)

Preschool

Early Childhood

Students in K-2[™] grades are eage Students in high school are very interested in hearing about science hese are such fun little people lots of enthusiasm and question

turn to share in. While that is e you are trying to convey pretty e this:

© Everyone is sitting on t information in the standard will gir There are many ways in which the science behind the GPM mission is

introduction your name Kindergarten:

hydrologist; and what y

about clouds and how t

a little bit about how ra

learn a little more".

You talk for a few minu

everyone can respond

about their weekend as

sidetracked if you allow

questions by individual

· A very short introductio

- K-ESS2 Earth's Systems

When I am finished, w First Grade:

• 1-LS1 From Molecules to Orga

out the answer togethe Second Grade:

- 2-ESS2-1 Earth's Systems

evaporation- condensa resources.

High School



SHARE THIS ARTICLE







Go to a Grade

- Preschool
- Early Childhood
- Flementary School
- Middle School • High School

scientist come to visit their class! from "real" scientists! Although they have a lot of background often like to share their experient knowledge about natural phenomena, they will also have look over the suggestions in the conceptions as well. They are also at the age in which they will Best Practices for giving presental begin to consider their future career interests, and hearing from you everything they know and then There are many ways in which the about why you chose your career will be very interesting to them. meaningful and engaging to child They may be reticent at first to answer questions for fear of "sticking some of the Next Generation Scie Out" among their peers. Take a few minutes to read over the are some general guidelines states across the country) that rel "Giving Presentations in Secondary Schools" get a feel for what • A typical presentation to ti might present on to children in the secondary school classes are like and some pointers for presenting attempting to teach everything in to students in these grade levels.

sitting on a small chair children in that grade level need t meaningful and engaging to students in high school classes. Here on carpet squares or in their knowledge. You are just one are some of the Next Generation Science Standards (followed by o You introduce yourself, achieve these rather broad and company to state across the country) that relate directly themes germane to GPM's science and technology. Note that you aren't attempting to teach everything in the standards below- rather the information in the standard will give you a sense of what ultimately children in that • K-ESS3 Earth and Human Actin grade level need to know and do to demonstrate their knowledge. You are just one small step toward helping them achieve these rather broad and complicated standards of science.


- HS- ESS2 Earth's Systems
- HS- ESS3 Earth and Human Activity
- HS- PS4 Waves and their Applications in Technologies for Information Transfer
- 2- LS2 Ecosystems: Interactio HS- ETS1 Engineering Design

o Have a few slides to sh. The key topic areas that are relev The key topic areas that are relevant to GPM and are related to age level. When you st these grade levels center around students in these grade levels center around the water cycle and age level. When 1903 a vailability/resources. You can fin freshwater availability/resources. You can find many of the lessons call out the names of t videos we have developed and ga plans and videos we have developed and gathered related to each have them repeat som topics below. You might look over of these topics below. You might look over these to get some ideas, the water cycle (only th could also forward the lists to the and could also forward the lists to the teacher to offer them additional resources.



Precipitation Education Webpage





https://pmm.nasa.gov /education/

302,836 pageviews in month of October (new all-time high!)

PMM Website: 95,000 pageviews per month







Twitter: NASARain 27,000+ followers

https://www.twitter.com/NASA Rain





Facebook: NASARain 52,500+ Followers

https://www.facebook.com/NASA.Rain





https://pmm.nasa.gov/ New website coming soon!









https://pmm.nasa.gov/applications





New website will include

- Application Highlights
- Application resources (one-pagers)
- Application Videos/ visualizations



Share your application or data use story!

NASA

Contribute to the ACCP applications community





Come to the working group meeting (Wednesday @ lunch)




IMERG Daily Cycle of Rain





Extra Slides

Applications: How it works






GPM Applications Overview and Objectives



- 1. Increase awareness of GPM and TRMM applications focusing on both broad areas and targeted thematically-focused communities
 - One pagers and videos outlining GPM applications examples: floods, public health, agriculture, and tropical cyclone forecasting
 - Extensive outreach effort and demonstration of how end users are working with the data
- 2. Engage users communities in trainings, workshops, and case studies to improve awareness and use of data and gain feedback in how the data products are used for decision making
 - Webinar training sessions (2018-19) introducing GPM data
 - Stakeholder workshops (Weather and AQ)
- 3. Improve data access and visualization of core GPM products for rapid ingestion and analysis
 - Visualization and data access capabilities for all levels of experience
 - Updated Data Access Portal: https://pmm.nasa.gov/data-access




Enabled Applications for ACCP EA 8. Critical for water resource managers, **EA 1.** Predict hurricane agricultural communities, and energy and mid-latitude cyclone EA 2. Improve modeling/ forecasting companies for estimating streamflow, development, intensity, the impact of aerosols on precipitation flooding and inundation impacts, and and track and including aerosol transport, assessing drought conditions. associated precipitation scavenging, deposition, and chemical EA 7. Enable weather prediction type and amount. transformation. Hydrologic communities to enhance Aerosol & Severe Modeling EA. 9. Enable parameterizations of clouds to Precipitation Storm agricultural EA 3. Improve model initialization and improve NWP output for weather Interaction in Forecasting Modeling Agricultural communities to model. forecasting. simulations which inform international and Climate and forecast, and track Modelina reports and policy makers decisions. Modeling and Modelina Forecasting watershed conditions **Numerical** Monitoring that impact crop Weather EA 4. Estimate radiative fluxes for Clouds. estimation, yields, Prediction applications, such as companies use Convection, irrigation, and supply. **ACCP** Energy estimates of size-resolved aerosol Precipitation Planning concentrations and precipitation to model dry and wet deposition on the panels. Health and Disaster Aviation **Ecological** EA 5. Predict and monitor hazards, such as Industry and Safety Monitoring, Infrastructur Forecasting visibility, icing, volcanic eruptions, and the impact **Modeling and** e / Urban & Monitoring Wildfires to flights planning and aircraft engines. Assessment Development **EA 10.** Used as inputs into EA 6. Improve NWP output for hydrologic models, vector and fire weather modeling and water borne disease modeling. EA 11. Used for EA 15. Critical for urban animal migration tracking, forecasting to predict the modeling/estimating flooding planning and development. insurance models, and potential for wildland and and landslide hazards, transportation assessment/ EA 13. Infer spatiodisasters applications. prescription fire growth and AQ Rule & developing parametric risk construction, and tactical temporal variations & Regulation aid implementation to severity. models for (re)insurance, and trends of speciated surface-Making identifying high risk areas for mitigate impacts to level PM to support AQ hydrometeorological extremes. changes in AQ and rule-making, define precipitation extremes. exceptional events, etc. Human EA 12. Infer spatio-temporal variations & trends of speciated Health Aerosols Operational EA 14. Support forecast initialization, surface-level PM, which are used to associate the effects of Studies & exposure to PM with specific health outcomes, and to tracking dust plumes, and issuing AQ Health Risk

forecasting

Estimation

alerts.

calculate health risks and longevity.



SPoRT's use of RGB Imagery for Hurricane Dorian



Many factors can act together to contribute to storm intensification, and satellite imagery offers a variety of perspectives to monitor the evolution of tropical cyclone structure as a storm undergoes intensity change. Multispectral Red-Green-Blue (RGB) composite imagery derived from the GPM Constellation of passive microwave sensors provides value in monitoring the evolution of convection within a tropical cyclone, and can reveal structures such as developing and concentric eyewalls, as well as spiral rainbands. On August 28th and 29th, 2019, RGB imagery provided by the Short-term Prediction Research and Transition Center (SPoRT) captured Dorian's spiral rainband structure, as well as the presence of an eve before moving north towards the Bahamas. The NASA SPoRT center has a history of providing RGB imagery to national centers. including the National Hurricane Center (NHC) for use in operations. Today, the imagery is extensively used in hurricane analysis and forecasting, leveraging the ability to detect features of interest and to identify the hurricane center,

Figure 2: Same snapshots from Figure 1, but using the 89 GHZ RGB imagery, which is sensitive to frozen precipitation. Red colors indicate regions of strong convection.

structure, and intensity.




Figure 1: Evolution of Dorian from 08/28/19—08/29/19 as viewed from the 37 GHz RGB. which is sensitive to warm precipitation. Light blue colors demonstrate regions of lighter rain, indicative of mainly stratiform precipitation, and pink to red colors demonstrate areas of heavier rainfall, indicative of convective precipitation.

Check out full article at **SPoRT**




Figure 3: Satellite-derived instantaneous rain rate (in/hr) for the same snapshots of Figures 1-2. These images provide another perspective on storm structure by demonstrating where precipitation is occurring.


Caption and Image credit: Erika Duran, Emily Berndt, and Patrick Duran (NASA SPORT), https://nasasport.wordpress.com/2019/08/30/the-evolution-ofhurricane-dorian-as-viewed-from-nasas-apm-constellation/?linkId=72896134.



GPM Data Used to Provide Early Warning of Extreme Rainfall Events in Developing Countries



GPM IMERG data is used as an input within the Extreme Rainfall Detection System (ERDS) to provide immediate information about potential extreme hydrological events throughout the world.



ERDS visual communicating the severe rainfall over Pakistan in April 2019 using IMERG data. This was posted on the ERDS Twiiter account, @Ithaca erds.



ERDS web application highlighting rainfall in Greece in January 2019. Credit: http://erds.ithacaweb.o rg/ via @Ithaca erds.

- ERDS is a web GIS applications service for monitoring and forecasting extreme rainfall events-http://erds.ithacaweb.org/.
- ERDS is developed and implemented by the Information Technology for Humanitarian Assistance, Cooperation, and Action (ITHACA) - http://www.ithacaweb.org/ - and used by the UN World Food Programme (WFP) Emergency Preparedness Unit and multiple emergency management service organizations.
- ERDS Twitter account, @Ithaca_erds, has multiple examples how GPM IMERG data has been used for disaster response and preparation in over 20 countries!



Engage users communities



1. Trainings

 Webinar training sessions (2018-2019: Disease Initiative and IMERG Vo6 webinars Engagement and User Outreach

2. Workshops

- Stakeholder workshops (Weather and Air Quality)
- 3. Informal PMM Applications Working Group
 - Provides guidance on new directions
- 4. Case studies: Weekly highlights
 - Improve awareness and traceability of data through the decision making pipeline and gain feedback in improving data and access pipelines





Next Steps.....

- GPM Applications team will continue to engage the user community by thematic areas as well as sectors
- Case studies of existing users and possibly new adopters will help to expand our portfolio and provide qualitative and (hopefully) quantitative examples of how GPM data is supporting decision making as well as where we can improve
 - Share your story!
- We are always looking for suggestions, feedback, and new ideas!
 - Come to the working group meeting tomorrow!